



Precision BEARING-SINGAPORE (PTE)LTD.

NTN 22324UAVS2 Bearing



Bearing No. 22324UAVS2

22324UAVS2 Bearing 2D drawings and 3D CAD models

| | |
|---------------------------|--|
| Size | 120x260x86 mm |
| Bore Diameter | 120,000 mm |
| Outer Diameter | 260,000 mm |
| Width | 86,000 mm |
| d | 120,000 mm |
| D | 260,000 mm |
| H | 86,000 mm |
| Category | Spherical Roller Bearings |
| Inventory | 0.0 |
| Manufacturer Name | NTN |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 21.97 |
| Product Group | B04311 |
| Internal Clearance | C0-Medium |
| Mounting Method | Shaft Mount |
| Rolling Element | Spherical Roller Bearing |
| Bore Profile | Straight |
| Cage Material | Bronze |
| Enclosure | Open |
| Number of Rows of Rollers | Double Row |
| Relubricatable | Yes |
| Withdrawal Sleeve | Not Applicable |
| Withdrawal Nut | Not Applicable |
| Inch - Metric | Metric |
| Long Description | 120MM Straight Bore; 260MM Outside Diameter; 86MM Width; C0-Medium |



Precision BEARING-SINGAPORE (PTE)LTD.

| | |
|------------------------------|---|
| | Clearance; Shaft Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable |
| Category | Spherical Roller Bearing |
| UNSPSC | 31171510 |
| Harmonized Tariff Code | 84823080 |
| Noun | Bearing |
| Keyword String | Spherical |
| Manufacturer URL | http://www.ntnamerica.com |
| Weight / LBS | 48.399 |
| Bore | 4.724 Inch 120 Millimeter |
| Adapter Part Number | Not Applicable Inch Not Applicable Millimeter |
| Outside Diameter | 10.236 Inch 260 Millimeter |
| Width | 3.386 Inch 86 Millimeter |
| bore diameter: | 120 mm |
| operating temperature range: | -40 to 120 ° C |
| outside diameter: | 260 mm |
| cage material: | Brass |
| overall width: | 86 mm |
| bearing material: | Through Hardened Steel |
| bore type: | Straight |
| cage type: | Machined |
| outer ring type: | Not Split |
| precision rating: | Not Rated |
| internal clearance: | Upper 2/3 of C4 range |
| finish/coating: | Uncoated |
| closure type: | Open |
| outer ring width: | 86 mm |
| lubrication hole type: | Lubrication Groove & Hole |
| | |



Precision BEARING-SINGAPORE (PTE)LTD.

| | |
|----------------------------|----------------------------|
| inner ring width: | 86 mm |
| dynamic load capacity: | 820000 N |
| fillet radius: | 3 mm |
| static load capacity: | 800000 N |
| series: | 223 |
| maximum rpm: | 1600 rpm |
| manufacturer product page: | Click here |